

**IN THE CLAIMS:**

This listing of claims will replace all prior versions, and listing, of claims in the application:

Listing of All Pending Claims

1. (currently amended) A tunable isolator circuit comprising:

an isolator comprising an input port, an output port and an isolation port;

an isolation matching circuit a ferro-electric tunable component coupled to the isolation port of the isolator; and

a an input matching circuit having a first signal port coupled to the input port of the isolator and a second signal port coupled to an electrical component, the input matching circuit and comprising:

a signal path from the first signal port to the second signal port; and

the a first ferro-electric tunable component coupled between the first

signal port and the second signal port along the signal path, [[:]]

wherein the first ferro-electric tunable component [[:]] is responsive to a control signal [[:]] adjusts the for adjusting an impedance of the input matching circuit , and wherein the matching circuit and isolator are integrated on one substrate.

2. (currently amended) The tunable isolator circuit of claim 1, wherein the first ferro-electric tunable component comprises a ferro-electric tunable capacitor.

3. (canceled)

4. (currently amended) The tunable isolator circuit of claim 1, wherein the input matching circuit comprises: an output matching circuit comprising a matching circuit

~~chosen matches impedances between the isolator and the electronic component, wherein the electronic component is a power amplifier. from a group consisting of an isolator-to-diplexer matching circuit and an isolator-to-multiplexer matching circuit, wherein the output matching circuit is coupled to the output port of the isolator and to an input port of a device chosen from a group consisting of a diplexer and a multiplexer.~~

5. (currently amended) The tunable isolator circuit of claim 1 [[4]], wherein the input matching circuit further comprises a second ferro-electric tunable component coupled between the signal path and an electrical ground.

6. (currently amended) The tunable isolator circuit of ~~claim~~ claim 5, wherein the second ferro-electric tunable component comprises a tunable ferro-electric capacitor.

7. (currently amended) The tunable isolator circuit of claim 1 [[4]], further comprising:  
~~further comprising an input matching circuit comprising a power amplifier-to-isolator matching circuit, wherein the input matching circuit is coupled to the output port of a power amplifier and to the input port of the isolator.~~

an output matching circuit having a third signal port coupled to the output port of the isolator and a fourth signal port coupled to a second electrical component, the output matching circuit comprising:

the signal path from the third signal port to the fourth signal port; and  
a third ferro-electric tunable component coupled between the third signal port and the fourth signal port along the signal path, wherein the  
third circuit ferro-electric tunable component is responsive to a  
second control signal for adjusting the impedance of the output  
matching circuit.

8. (currently amended) The tunable isolator circuit of claim 1, wherein the input

matching circuit ~~comprises: an input matching circuit comprising~~ is a power amplifier-to-isolator matching circuit, wherein the input matching circuit is coupled to the output port of a power amplifier and to the input port of the isolator.

9. (currently amended) The tunable isolator circuit of claim 7 8, wherein the output matching circuit further comprises a ~~second~~ fourth ferro-electric tunable component coupled between the signal path and an electrical ground.

10. (currently amended) The tunable isolator circuit of ~~claim~~ claim 9, wherein the ~~second~~ fourth ferro-electric tunable component comprises a tunable ferro-electric capacitor.

11. (currently amended) The tunable isolator circuit of claim 1, ~~further comprising an~~ wherein the isolation port matching circuit is coupled between an electrical ground and the isolation port, and wherein the isolation port matching circuit comprises a ~~second~~ an isolation circuit ferro-electric tunable component.

12. (currently amended) The tunable isolator circuit of claim 11, wherein the ~~second~~ isolation circuit ferro-electric tunable component comprises a ferro-electric tunable capacitor.

13. (currently amended) The tunable isolator circuit of claim 7 ~~[[4]]~~, wherein the output matching circuit matches a natural output impedance of the isolator to a natural input impedance of the device second electrical component ~~coupled to the output port of the isolator, thereby reducing non-linear distortion of the ferro-electric component and permitting operation at higher power levels.~~

14. (currently amended) The tunable isolator circuit of claim 13, wherein the device

second electrical component coupled to the output port of the isolator is a duplexer, and wherein the output matching circuit matches from about 12.5 ohms at the isolator output port to about 12.5 ohms at ~~the~~ a duplexer input port.

15. (currently amended) The tunable isolator circuit of claim 8, wherein the input matching circuit matches a natural output impedance of the power amplifier to a natural input impedance of the isolator, ~~thereby reducing non-linear distortion of the ferro-electric component and permitting operation at higher power levels.~~

16. (currently amended) The tunable isolator circuit of claim 15, wherein the input matching circuit matches from about 2 ohms at ~~the~~ a power amplifier output port to about 12.5 ohms at the isolator input port.

17. (currently amended) The tunable isolator circuit of claim 7, wherein the output matching circuit matches a natural output impedance of the isolator to a natural input impedance of the second electrical component device coupled to the output port of the isolator, and wherein the input matching circuit matches a natural output impedance of the power amplifier to a natural input impedance of the isolator, ~~thereby reducing non-linear distortion of the ferro-electric component and permitting operation at higher power levels.~~

18. (canceled)

19. (canceled)

20. (new) A tunable isolator circuit comprising:

an isolator comprising an input port, an output port and an isolation port;

an isolation matching circuit coupled to the isolation port of the isolator and

comprising at least one ferro-electric tunable component;

an input matching circuit having a first signal port coupled to the input port of the isolator and a second signal port coupled to an electrical component, the input matching circuit comprising:

a signal path from the first signal port to the second signal port; and

a first ferro-electric tunable component coupled between the first signal port and the second signal port along the signal path, wherein the first ferro-electric tunable component is responsive to a control signal for adjusting the impedance of the input matching circuit; and

an output matching circuit having a third signal port coupled to the output port of the isolator and a fourth signal port coupled to a second electrical component, the output matching circuit comprising:

the signal path from the third signal port to the forth signal port; and

a second ferro-electric tunable component coupled between the third signal port and the fourth signal port along the signal path, wherein the second circuit ferro-electric tunable component is responsive to a second control signal for adjusting the impedance of the output matching circuit.